



From the beginning, sunlight and fresh air have been nature's way of regulating human behaviour. Light controls our circadian rhythm, and determines when we wake up, work, and go to sleep. Air supplies us with oxygen, which is vital for life and energy, keeps us awake and allows us to concentrate. In times in which humans are increasingly working in enclosed spaces, we are often missing this natural regulation. The consequences: Difficulty concentrating, weariness and sleeping disorders. However, at the same time, the modern working world is continually demanding increasing productivity and creativity. We therefore need a new form of management: A form that takes into account the basic human requirements while also taking a wholly new approach. Welcome to ESYLUX.

ESYLUX is a specialist for innovative, demand-driven solutions that improve all workspaces. Just like a good manager, ESYLUX combines its versatile competences intelligently: Today, we use our many years of experience in sensor-based building automation in the development of ground-breaking LED lighting and thus create a synergy of automation and light. Whenever and wherever the sun rays are not sufficient enough, we can supplement them or provide adequate substitution with our biologically effective lighting. If room air quality is a factor, it is detected and optimised by multi-sensory presence detectors. From the reception area to the management floor, from the open-plan office to the canteen: Light and air are always controlled to enable the human to focus fully on their work, with no unnecessary loss of their energy or building energy.

At the same time, apart from high quality, efficiency, and economic viability, ESYLUX also provides one factor above all: simplicity. Because our solutions will only fulfil the demands of modern life if they are easy to plan, install, and operate. ESY as one, two, three.





# CONTENTS

## AUTOMATION AND LIGHT MANAGEMENT FOR EVERY ROOM

No matter what work is being done for any project, at any level or in any space: The requirements for a long-term success in the office are clever strategies, efficient use of resources and convincing performance – just like the innovative automation and light solutions from ESYLUX. They intelligently control light and room climate, use energy depending on demand where it is required and impress with durable performance. They make everything easy because they adapt to all requirements, are always easy to install and make ground-breaking technology as simple as possible for our customers and partners. Now discover with ESYLUX the many sides of efficient automation and light management. For every project, every floor, and every room.

### IMPROVING WORKPLACES WITH ESYLUX



FFICIENCY IN THE OFFICE	06
IUMAN CENTRIC LIGHTING	10
HIGH LIGHT QUALITY	14
GOOD INDOOR AIR	16
CONVENIENT OPERATION	18
LEXIBLE LIGHT SCENES	20
SAFETY 24 HOURS A DAY	22
MODERNISE AND RENOVATE	24
FFICIENCY	26

### SOLUTIONS FOR EVERY ROOM



NTRANCE AREAS	30
ORRIDORS	32
TAIRCASES	34
PEN-PLAN OFFICES	36
TANDARD INDIVIDUAL OFFICES	38
XCLUSIVE INDIVIDUAL OFFICES	40
MEETING ROOMS	42
IDE ROOMS	44
ANITARY FACILITIES	46
ANTEENS	48
OUTDOOR AREAS	50
VERVIEW	52
ERVICES	54

28

# UTILISING POTENTIAL

## INCREASE EFFICIENCY IN THE OFFICE ON ALL LEVELS



Any office in which large numbers of people come together in a busy working environment usually also requires a high consumption of energy: Artificial light illuminates the working spaces, ventilation delivers fresh oxygen, while the air conditioning or heating optimises the temperature. Energy efficiency is therefore a central topic in the modernisation of office buildings.

From a global perspective, the key issue is increasing sustainability in order to protect the global climate and natural resources – which is why relevant political objectives are already in place in many countries to directly influence the technical equipment of buildings. However, from the perspective of building operators and investors, the upgrade to modern technology is always worth it. Since an energy-efficient, demand-driven operation means a significant reduction of energy costs with fast payback. And that not only applies for new buildings. The consumption values of older buildings are far higher than average and reveal a clear savings potential. ESYLUX provides the perfect solution: Intelligent solutions that combine a demand-driven sensor system with economical LED lighting – and therefore provide the maximum energy efficiency.

#### ESYLUX SETS STANDARDS WHETHER ALONE OR IN A GROUP

As specialists in energy-efficiency solutions, we work together with other organisations to produce sustainable buildings. At the same time, in the German association for sustainable construction (DGNB), we also promote the importance of certified "Green Buildings".



EASILY PREVENT UNNECESSARY ENERGY CONSUMPTION


The principle of demand-driven automation is as easy as it sounds: Only use energy when it is really needed. It replicates typical human behaviour. When users of office buildings and other workplaces switch on lights, ventilation and heating, they often stay on the entire day – in the worst-case scenario, even overnight because more than often, people forget to switch them off. This results in far too much unnecessary energy consumption. On top of this, artificial light does not always need to be on at full strength and neither does ventilation have to be at full blast.

This is why ESYLUX offers cross-component sensor-operated solutions that easily turn the workplace into a smart office without users having to worry about it. These solutions ensure that light and other utilities are only used to the extent required by the current conditions. Using these solutions, workplaces can be equipped to comply with standards while providing an optimal atmosphere and automatically achieving a high level of energy efficiency.


#### SAVING ENERGY THROUGH INTELLIGENT SENSOR TECHNOLOGY

The use of a simple presence detectors alone already results in a significant improvement. This is because it automatically ensures that the lighting or other devices are only switched on when people are actually at their workplace. At the same time, each presence detector has a light sensor that checks the current brightness during operation. If the daylight that enters the room through the window is sufficient enough for work, for example in the middle of the day, the presence detector will also switch off the artificial light.

Even more energy can be saved by constantly adapting to prevailing environmental conditions. If the presence detector has the ability to provide constant light control, it only dims the artificial light as high as the existing daylight to achieve a specific set value. This is the best possible way of using daylight and also naturally ensures an extremely high level of comfort. It automatically ensures that rooms never become too dark or too bright. If the presence detector contains additional sensors to measure air quality, for example, the operation of additional devices can still be continuously aligned to the current room conditions.



08



## **EFFICIENCY AND COMFORT** IN PERFECT HARMONY: SYMBILOGIC **TECHNOLOGY FROM ESYLUX**

The best light for people is natural daylight. Due to its light colour and brightness and the way these change during the course of the day, natural light controls our circadian rhythm and has a positive influence on hormonal balance and our ability to concentrate. It simply makes people feel better and more productive. However, modern life means that our exposure to daylight is often limited - since we spend most of our time in closed rooms.

### SYMBILOGIC: BIOLOGICALLY EFFECTIVE LIGHTING, **CONTROLLED INTELLIGENTLY**

ESYLUX brings the dynamic rhythms of daylight back to the life of modern people. Using SymbiLogic technology, ESYLUX has created indoor lighting solutions with biologically effective lighting: Human Centric Lighting - light that meets every standard, but far exceeds all minimum requirements. In addition, SymbiLogic combines the well-being and effectiveness with the advantages of intelligent control for comfort and efficiency. The Human Centric Lighting solutions from ESYLUX therefore introduce a demand-centred lighting concept that optimises the energy usage in office spaces: Light is only used when needed. As an automation specialist with many years of experience in intelligent sensor systems, ESYLUX is better equipped than any other manufacturer to precisely customise this innovative light management to modern requirements and the most varied of demands.



outside on a sunny day, we receive 100,000 LUX

OUTSIDE ON A CLOUDY DAY, WE RECEIVE



IN THE OFFICE, WE STILL ONLY RECEIVE A BRIGHTNESS OF

🗰 500 LUX



OF THEIR TIME IN ENCLOSED SPACES


# IMPROVE WORK PERFORMANCE WITH ENERGY-EFFICIENT HUMAN CENTRIC LIGHTING

The biologically effective lighting created by SymbiLogic has a schedule specifically optimised for use in office spaces: In the morning, a dynamic increase of brightness and the proportion of blue light bring about a refreshing activation. Towards the middle of the day both values are briefly reduced – to then be strongly increased again – this counteracts the typical afternoon tiredness. As a result, SymbiLogic helps people to master tired phases, remain focused and continue performing well.

Light is also the most important timing mechanism for controlling the human circadian rhythm allowing us to sense day and night. Bright, cold white light during the day stabilises this rhythm. Towards the evening, SymbiLogic automatically dims the light and turns it into a warm white colour, allowing people to wind down to rest at an appropriate time. With its innovative control system, SymbiLogic ensures a more restful sleep and supports essential regeneration. Perfect for new vitality and long-term health.

## EFFECTIVENESS THANKS TO THE FAR ABOVE AVERAGE LIGHT INTENSITY WHICH IS MUCH HIGHER THAN STANDARD LEVELS


But not only is SymbiLogic from ESYLUX highly effective, it is also uniquely energy-efficient. The key elements here are the use of presence detectors combined with intelligent light management – as found in the ISABELLE Office Floor Light and the lighting systems with ESYLUX Light Control ELC control technology: The lighting is switched on or off depending on human presence and daylight, achieving the highest level of innovation in its biodynamic brightness levels with its use of daylight. The adaptive constant light control of SymbiLogic applies a proven technological principle to the most modern form of indoor lighting. and this automatically helps to save a great deal of energy.





# GIVING OUT THE BEST LIGHT

## FIRST-CLASS LIGHT QUALITY FOR MAXIMUM VISUAL COMFORT



ESYLUX CRI spectrum measurement result, example based on CELINE



ESYLUX CQS spectrum measurement result, example based on CELINE

ESYLUX is not only an illuminating example in terms of top-class design, but also in terms of the core of every lighting solution – the quality of light itself. Here there is only one benchmark: daylight.

We are perfectly positioned to replicate this benchmark as closely as possible. In our headquarters, referenced light laboratory, all light-relevant quality characteristics are tested and continuously improved throughout the whole development process. This enables us to achieve results that far exceed the standard minimum requirements. One example to highlight: Securing the best possible colour rendering. The eight prescribed test colours of the Color Rendering Index CRI fall a long way short of our requirements in this matter – therefore we use all fifteen colours, thereby creating LED light that far exceeds the standard colour rendering. ESYLUX is also one of the first manufacturers to integrate the Color Quality Scale (CQS) into its measuring methods. Together, the CRI and CQS guarantee the realistic rendering of even weak colours and highly saturated colours. This ensures that surfaces and objects are accurately rendered in the correct light, creating a more pleasant lighting atmosphere and greater visual comfort. A brilliant idea.

## LOW FLICKER FACTOR, HIGH VISUAL QUALITY

LEDs respond much more quickly and directly to the natural variations in alternating current than the classic incandescent lamp: They tend to flicker – a special challenge when developing top quality LED lighting. Even if the flickering is within a frequency range not visible to the human eye, it can still be tiring, create feelings of dizziness and, in some cases, even have far-reaching health consequences. Anyone who cares about the end users of a building will therefore look for lighting with the lowest possible flicker factor – ESYLUX offers a clear perspective well above the standard in this area.

# GOOD AIR GUARANTEED

## FOSTER AN OPTIMAL INDOOR CLIMATE WITH ENERGY-EFFICIENT CONTROL

Vapours and a lack of oxygen literally result in thick air in the office: They cause tiredness, reduce concentration, and have an impact on your mood. Insufficient air quality also affects the health of employees. With an intelligent, sensor-based control system from ESYLUX, indoor air can be automatically improved via an air-conditioning and ventilation system - while simultaneously reducing energy consumption to a minimum.


### FROM PRESENCE-DEPENDENT VENTILATION...

The DALI actuator is a simple solution for linking the ventilation with presence detection. It receives a signal via digital communication from a DALI presence detector, which causes the ventilation to switch off as soon as the room is empty. The switch actuator can be easily integrated into the light systems of the CELINE and NOVA Quadro-Sets and can also switch other conventional devices on and off in relation to pres-

### ...TO AUTOMATIC CONTROL OF AIR QUALITY

However, there is still room for improvements: The PD-ATMO 360i/8 0 KNX, with its combination of presence and air quality sensors does not activate the air conditioning and ventilation system until the air quality really makes this necessary – even during operation it still ensures that the system only works at the level of intensity currently required. Thanks to its unique multi-sensory capability, the PD ATMO initiates changes in the light situation, air humidity, temperature, and air quality – with exceptional sensitivity through the VOC sensor\*. It is particularly thorough in ensuring that a healthy, productive and comfortable climate is maintained while persons are present in the room, while at the same time ensuring optimal brightness. The high-quality passive infrared presence detector is supported by an acoustic sensor when presence is detected in particularly complex cases. This total of six senses in only on device save the use of multiple individual solutions and complex assembly. The six sensors make the ATMO presence detector the perfect all-in-one-device for optimal indoor climate and energy-efficiency.

### SAVINGS POTENTIAL IS OFFERED BY DEMAND-CONTROLLED VENTILATION



 Constant air volume flow Intelligent controlled ventilation

///. Energy saving

harmful to health than an increasing CO<sub>2</sub> content of the air. Activating the ventilation reliable



# INDIVIDUAL CONTROL

## FROM DIGITAL TO MANUAL

Automation offers numerous advantages. However, with ESYLUX it is not a "must" but always a "can". ESYLUX solutions can be easily configured and controlled themselves. For presence detectors, this can be done via push button input, remote control or ESY-Pen, our all-rounder for commissioning, remote control, light measurement and project management.

Lighting systems with ESYLUX Light Control, such as the CELINE und NOVA Quadro-Sets, offer an even greater variety of control options. From switching to calling up scenes, everything can be done with the ESYLUX push buttons or a commercially available DALI button – or even with the simple 230-V button, which can continue to be used without any issue if already installed. If the ELC systems have an integrated KNX module, they can be integrated into the KNX building automation system without a gateway, and can therefore be centrally controlled and read. The built-in Bluetooth module allows for convenient control and configuration via the ESY App and a mobile device – or even the ESY-Pen!



The light in the Quadro-Sets can be easily adjusted to individual needs with the simple 230-V button

#### Left-hand button

Short press: Switch the lighting on/off Long press: Increase or decrease the dim level

## Right-hand button

Short press: Call up individual scenes Long press: Change the light colour



The ESYLUX push buttons enable intuitive operation of the ELC lighting systems through easy-to-understand symbols



With Bluetooth functionality and integrated light sensor, the ESY-Pen always cuts a fine figure – as a standalone device or as a bridge between mobile devices and intelligent ESYLUX automation and lighting solutions



# SCENESETTING IN ROOMS

## INTELLIGENT LIGHT MANAGEMENT FOR CHANGING SITUATIONS

The use of modern business rooms varies greatly, and individual meetings and conferences are also usually split into separate phases: Following the welcome, there ensues an intensive work phase, with an alternation between discussion rounds and multimedia presentations, followed by combined refreshment and informal chat. With ESYLUX, the lighting can flexibly adapt to the most diverse scenarios – simply and at the touch of a button. For many solutions, a range of different scenes can be programmed, which can be switched on at any time via push-button or app, and then change the whole situation in line with demand: with perfect harmony between the main lighting and ambient light and even more with the KNX lighting.

The following example of a conference room illustrates how flexibly the rooms can be staged for respective uses: Equipped with the light system of the CELINE Quadro-Sets divided into two groups with SymbiLogic and integrated KNX module, plus round downlights that have been integrated into the system by the DALI actuator. Ventilation is controlled by the KNX bus – and like all devices, is automatically switched off at the end of the



#### SITUATION 1: CONFERENCE ROOM

The participants sit at the conference table, documents are studied, intense discussions take place, concentration is high.

Scene: The main lighting is switched on – in group 1, lighting is set to 100 % of the maximum illuminance; in group 2, lighting it set to 70 %. The light colour is an energising 5500 kelvin.



### SITUATION 2: PRESENTATION

Screens or monitors are used, attention is focused on a film or PowerPoint presentation.

Scene: The venetian blind is pulled down\*. Only the external downlights are switched on at table height – for a pleasant ambience and minimum orientation.

\*The venetian blind can be integrated into the control system with the KNX variants of the Quadro-Sets and then retrieved with the KNX button.



## **SITUATION 3: BREAK OR FINISH**

The participants are mainly found at the back of the room, where drinks and snacks are consumed, and the atmosphere and conversations are more relaxed.

Scene: The downlights at the back of the room and at the front are switched on. The external luminaires of the Quadro-Sets (group 2) are at 70 % of their maximum illuminance at a relaxed 3000 kelvin.





## ORIENTATION AND SAFETY **AROUND THE CLOCK**

A wide range of specifications and guidelines on safety and fire protection ensure the best possible protection against hazards in the office. With its intelligent lighting, ESYLUX performs way above these standards to create a feeling of safety in the workplace. Employees don't want to be left feeling in the dark – in an emergency or for example, when working late.

### **ORIENTATION LIGHT CREATES COMFORT**

The innovative ESYLUX light management enables solutions that use intelligent sensors and controls to activate an orientation light, which ensures a minimum level of lighting in offices and surrounding areas, as long as no one is present. This means that it is not completely dark, even in the area surrounding the workplace, and the employee can see the whole room – providing important light for those who work later in the evening. The intensity and duration of the orientation light can be adjusted individually, and a reduction to e.g. 10 % of the maximum illuminance reduces the energy consumption to the lowest possible level.

## SAFETY LIGHTING FOR EMERGENCIES

Every second counts if an emergency should arise. So that people can leave the building quickly and safely even if the main lighting fails, the emergency exits and escape routes must have optimal lighting. ESYLUX presents perfect solutions and tailored accessories for different requirements for safety lighting, therefore helping to make buildings safer – sustainably and economically.



You don't have to rebuild from scratch to breathe new life into the sense of space. With ESYLUX, you can make the leap to modern automation and light technology and easily upgrade to energy-efficient solutions at any time. Room by room. And even while work is going on. ESYLUX provides a broad spectrum of products for tailored renovations, quick replacement and integration into your building with easy installation. Therefore, all our standard solutions for DALI benefit from the typical simple cabling of this bus system, and the parameter settings of the electronic ballast are made by the ESYLUX presence detectors themselves. Our wall detectors are compatible with all common brand switches – for an optimal shape that guarantees optical compatibility as well as immediately functionality. However, the prime examples for rapid modernisation are:

### THE CELINE AND NOVA QUADRO-SETS

The standalone solution from ESYLUX for room-by-room modernisation during continuous operation: Plug-and-play means that lighting systems with ESYLUX Light Control ELC can be easily installed in every room and can be used immediately and with no additional programming required.\* Many models also have an integrated KNX module and can then be integrated into the KNX building automation with no separate gateway required. All Quadro-Sets from ESYLUX are compatible with simple 230-V switches, thereby enabling existing switches to be used as an economical option.




CELINE Quadro-Set 4x LED lights, separate sensors and control unit, cables



NOVA Quadro-Set 4x LED lights, integrated sensors and control unit, cables

EVEN DURING CONTINUOUS OPERATION

 $^{\star}$  Up to 60 % time savings thanks to plug and play



# ECONOMICAL PLANNING

## MANY GOOD REASONS WHY AN ESYLUX SOLUTION IS ALWAYS WORTH IT



PRE-CONFIGURED SET SOLUTIONS



LOW INVESTMENT COSTS



UP 70 %

## POTENTIAL ENERGY SAVINGS\*

Through the use of control in line with demand combined with modern lighting.

\*Source: Energy Efficiency Initiative, Deutsche Energie-Agentur GmbH (dena)



**1060 %** 

TIME SAVINGS THROUGH Plug and Play

#### SIMPLE PROCESSING

ESYLUX guarantees the functional interaction of the individual components and therefore offers high reliability from commissioning onwards throughout the whole life-cycle. E.g. preconfigured set solutions for intelligent lighting simplify the ordering process throughout the whole delivery chain as well as handling on the construction site. Quadro-Sets with lights, sensors, control unit, and cables can each be ordered under a single item number and easily scaled to different room sizes.

## LOW INVESTMENT COSTS

Affordable innovation: ESYLUX solutions offer you a high degree of automation with clear investment costs. The simple and quick installation keeps overall costs low, Quadro-Sets with ESYLUX Light Control can be installed in the same time as non-automated room lighting. The amortisation time is also similar – however in the long term, the efficient automation of intelligent lighting brings considerably higher savings.

### LOW OPERATING COSTS

With efficient automation involving demand-driven, daylight-dependent light control, you can reduce power consumption and the number of operating hours. Result: a considerably longer lifetime for your lights – depending on the room usage, this can even be twice as long as for LED lighting without automation. This reduces the maintenance workload and associated costs, and faults in everyday operations.

## **IDEAL FOR RENOVATION**

In the modernisation and renovation of buildings, the key factors are simple implementation and an increase in overall performance of the building. The modern automation solutions from ESYLUX can be easily integrated into the existing building infrastructure. Many ESYLUX solutions for offices function fully autonomously in the room and can also be integrated into a higher-level building automation (e.g. via KNX). This enables simple renovation room by room and reduces faults in the operating processes to a minimum.

# OPTIMISING EVERY ROOM

ESYLUX OFFERS THE PERFECT AUTOMATION AND LIGHTING SOLUTION FOR EVERY ROOM AND WORKPLACE

The requirements for different areas of an office building are as varied as the requirements of the people moving within the space – the perfect light and automation concepts must therefore be tailor-made and customised to these requirements. In working environments, high visual quality and an optimum room climate are the key issues, while in corridors and stairways, the topic of safety is a higher priority. In sanitary facilities, the light situation has to fulfil different requirements than in areas used socially.

ESYLUX knows how to create the perfect automation and lighting solution for every room and area of the building – and keeps up with the very highest requirements of efficiency, economy, and uncomplicated installation. On the following pages, we have provided a selection of innovative solutions, visit www.esylux.com for the full ESYLUX product range.

#### **CONTENTS**

ENTRANCE AREAS	30
CORRIDORS	32
STAIRCASES	34
OPEN-PLAN OFFICES	36
STANDARD INDIVIDUAL OFFICES	38
EXCLUSIVE INDIVIDUAL OFFICES	40
MEETING ROOMS	42
SIDE ROOMS	44
SANITARY FACILITIES	46
CANTEENS	48
OUTDOOR AREAS	50
OVERVIEW	52
SERVICES	54





## PERFECT ENTRYWAY: ENTRANCE AREAS

There are many ways to say welcome – when perfectly designed, the entrance area of a building alone can convey this feeling and perfectly speak the language of the company. For this type of room design, a harmonious lighting mood is just as important as the lighting design. If you wish to greet visitors with friendly lighting and provide orientation from the moment they first enter, a powerful, impressive lighting concept must be achieved without being too loud or glaring. A harmonious concept that also cleverly takes efficiency into account is the key to this.

## EXAMPLE 1: IMPRESSIVE LIGHTING WITH FLEXIBLE ROOM DESIGN

The ISABELLE Pendant Lights lend a distinguished appearance to reception desks, while the ELSA-2 Downlights uses soft, homogeneous light emissions to provide uniform illumination. The mini presence detector and its energy-efficient DALI light management system are almost invisible.





Accessories	DALI power supply POWER SUPPLY 200mA DALI	EC10430008
Light control	Presence detector PD-FLAT 360i/6 mini DALI, FLAT mini series	EP10427503
	Downlight ELSA-2 DL 165 OP 110° 900 840 DALI WH	E010298936
Lighting	Pendulum light ISABELLE PDL 1200 DDP TR 8800 840 DALI WH	E010306167

## EXAMPLE 2: ROUND SHAPE FOR A HARMONIOUS DESIGN

Glare and flicker-free STINA Downlights provide an atmospheric ambience for reception areas. The ideal aesthetic enhancement: An elegant FLAT presence detector that increases energy efficiency, whilst also creating a harmonious overall appearance.


### STINA

## PD-FLAT 360i/8





Beleuchtung	Downlight STINA DL 90 TR 38° 1300 840 WH	E010304132
Light control	Presence detector PD-FLAT 360i/8 ROUND WHITE	EP10427930



## **ALWAYS GOING THE RIGHT WAY: CORRIDORS**

To keep the work process efficient, each movement in the corridors should be a step in the right direction. Orientation is therefore at the top of the agenda. Even in less frequently visited areas, no-one should be left in the dark. Efficient lighting solutions are the way forward. They respond to movement and also take the existing daylight into consideration when using light. Progress always moves in the right direction thanks to perfect light

## **EXAMPLE 1: AN ELEGANT APPEARANCE** WITH SOPHISTICATED DESIGN

Stylish STINA downlights with a low-lying light source shine with beautiful light, while round FLAT motion detectors on the ceiling monitor operation depending on movement and daylight. They also ensure a uniform, elegant look. In case of emergency, the ELH escape route light provides a reliable view — thanks to special lens technology with a very large



STINA









Downlight STINA DL 112 TR 60° 1300 840 WH	E010304194
Motion detector MD-FLAT 360i/8 ROUND WHITE	EP10427886

EN10080012

## **EXAMPLE 2: SIMPLE LIGHT SOLUTION** WITH RELIABLE SENSOR TECHNOLOGY

A simple BASIC motion detector replaces the light switch on the wall and enables energy-efficient switching of the lighting. Round ELSA-2 downlights with soft, even light illuminate the corridor. The ELX escape route lights ensure safety in an emergency.



Lighting Light control

MD 180i/16 Basic

Escape route light ELH EL LED 3h SC RM CORRIDOR

**ELX 20 LEDi Flat** 







Lighting	Downlight ELSA-2 DL 165 OP 110° 900 840 WH	E010298998
Light control	Motion detector MD 180i/16 Basic	EB10430459
Optional	Escape route light ELX EL LED 3h IR SM	EN10077227



## ARRIVE SAFELY: STAIRCASES

Staircases highlight the need for optimal lighting at a very high level: Since only the best possible and dependable light reduces the risk of accidents when going up and down. Because staircases are only used the most at peak times, constant, bright lighting is not required. The solution: Light and automation concepts that take efficient control to the next level and guarantee that the highest requirements of safety standards and reliability are met

EXAMPLE 1: BEAUTIFUL WALL LIGHT WITH HIDDEN INTELLIGENCE

Round ELLEN luminaires with a rounded diffusor provide a classic luminaire design on the wall, while intelligent sensors remain hidden: An HF motion detector integrated into the luminaire allows energy-efficient operation. The luminaires can be intelligently connected to each other.

## ELLEN



Lighting	Ceiling/wall luminaire ELLEN WCL 300 OP 1300 840 IP20 MD	E010850066
Light control	Motion detector HF in the luminaire	

EXAMPLE 2: SIMPLE LIGHT SOLUTION WITH RELIABLE SENSOR TECHNOLOGY

A integrated motion detector switches the ceiling lights on and off depending on daylight and movement, while ELSA-2 downlights with soft, homogeneous light radiate light alongside.

## ELSA-2 MD



Lighting	Downlight ELSA-2 DL 225 OP 110° 1800 830 MD IR WH	E010299025
Light control	Motion detector in the luminaire	EB10430404



## THE BEST FOR EVERYONE: OPEN-PLAN OFFICES

ISABELLE FSL

Accessories

When you have a lot of people working in the same room, they don't all do the same thing. The demands of visual and reading quality vary as much as the assignments: lighting must perfectly support one person without dazzling another. And of course, no-one should run out of breath during the course of the day. ESYLUX has thought of everything and everyone with light and indoor air ventilation solutions that can be individually controlled – and also provides efficiency and comfort down to the smallest detail for rooms with large floor plans.

PD-ATMO

STELLA

EXAMPLE 1: FLEXIBLE OFFICE LIGHTING AND OPTIMAL AIR QUALITY

ISABELLE Office Floor Lights allow highly flexible positioning on the desk, while the presence detector installed in its luminaire head controls the light depending on presence and daylight. STELLA ceiling lights enhance the overall look on the ceiling – intelligently controlled by the PD ATMO next to them, which automatically ensure that open-plan offices are optimally ventilated at the same time.





Surface mounting frame STELLA MOUNTING FRAME 300 SM WH

## EXAMPLE 2: VITALISING WORK LIGHT FOR SYSTEM CEILINGS

The biologically effective lighting of the CELINE Quadro-Sets ensures well-being and optimal work performance, while round ALICIA downlights with pivoting luminaire head for accent lighting and also ventilation via DALI actuator are integrated into the system. Intelligent, energy-efficient management is carried out via integrated SymbiLogic technology and high-end sensors. The light system can be centrally controlled and read via the KNX bus.







# CELINE QUADRO-SET ALICIA DALI actuator

Lighting	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX	EQ10122781
	Downlight ALICIA DL 68 TR 24° 600 830 WH	E010302022
Light and	Presence detector in the lighting system	
HVAC control	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473

EQ10600340



## INDIVIDUAL PERFORMANCE: STANDARD INDIVIDUAL OFFICES

Offices are special places in which visions and projects start and are thought throughout till the end. From the start to the end of an intense working day, biologically effective lighting, optimal air and a pleasant atmosphere significantly support success. The challenge for ESYLUX to provide tailored solutions starts with the effective promotion of concentration, output and well-being, and by no means ends at efficiency.

EXAMPLE 1: INVIGORATING WORK LIGHT — EVEN FOR INDIVIDUALISTS

The biologically effective lighting of the CELINE Quadro-Sets ensure well-being and optimal work performance. Ventilation is integrated into the system via DALI actuator. The light can be easily adjusted to individual needs with the light button. Intelligent, energy-efficient overall management is carried out via integrated SymbiLogic technology and high-end sensors.

SYMBI



### CELINE QUADRO-SET

#### **DALI** actuator





Lighting	Light system QUADRO-SET CELINE HCL 625 DDP SO 8TW ELC	EQ10122538
Light and HVAC control	Presence detector in the lighting system	
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473

## EXAMPLE 2: SIMPLE 2-CHANNEL LIGHT SOLUTION WITH DALI

Extra-flat STELLA ceiling lights that can be suspended from the ceiling if required ensure the best look and the DUO DALI presence detector provides the intelligent light management concept. It can control up to two channels independently of each other, the bus power supply is integrated in the detector.



### STELLA

### PD-C360i/8 DUO DALI





Lighting	Ceiling light STELLA PNL 625 DDP OP 3800 840 IP20 DALI	EQ10600234
Light control	Presence detector PD-C360i/8 DUO DALI opal frosted	EP10427442



## HIGH PERFORMANCE: EXCLUSIVE INDIVIDUAL OFFICES

In exclusive individual offices for managers and management staff, important strategies are developed with high accountability and big decisions are made – meaning special attention is always paid to particularly diverse challenges: Equal focus must be given to the highest levels of efficiency and a prestigious appearance, which also allows a certain level of privacy. ESYLUX past put all of its effort into flexible functionality as well as top-quality design.

EXAMPLE 1: DESIGN SOLUTION FOR MAXIMUM LIGHT AND VENTILATION COMFORT

The multi award-winning ISABELLE Office Floor Light with integrated sensor technology unites sophisticated design, intelligent control and the best, biologically effective light. At the same time, the PD ATMO in the ceiling optimises the air quality and energy-efficiently controls the STINA Downlights for accent lighting.







Main lighting	Office Floor Light ISABELLE FSL S-BASE DDP TR 6000 830 PD IR WH	E010306006
Control of main lighting	Presence detector in the luminaire	
Additional lighting	Downlight STINA DL 112 TR 38° 1300 830 WH	E010304163
Control of additional	Presence detector PD-ATMO 360i/8 0 KNX white	EP10427220
lighting and	KNX actuator CU-DIN HVAC KNX	EC10430503
HVAC systems	KNX actuator CU-DIN R 4-CH 16A KNX	EC10430282

EXAMPLE 2: VITALISING WORK LIGHTING WITH SIMPLE INSTALLATION

The biologically effective lighting of the CELINE Quadro-Sets ensures well-being and optimal work performance, while round ALICIA downlights with pivoting luminaire head and ventilation are integrated into the system by the DALI actuator. The KNX module integrated into the sets simplifies the installation and enables central control and reading of the light system.








## CELINE QUADRO-SET ALICIA DALI actuator





Light system QUADRO-SET CELINE HCL 625 DDP SO 8TW ELC KNX	EQ10122736
Downlights ALICIA DL 68 TR 15° 600 840 WH	E010302015
Presence detector in the lighting system	
DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
	Downlights ALICIA DL 68 TR 15° 600 840 WH  Presence detector in the lighting system



## WHERE THE BEST MEET: CONFERENCE ROOMS


Where people with a diverse range of skills meet each other, light and automation must also come together: Important presentations as well as internal meetings, brainstorming sessions and confidential meetings are held in meeting and conference rooms. Visual and functional requirements change all the time. That is why ESYLUX brings together solutions that can flexibly control the different light situations from direct and ambient lighting and also prepare them for multimedia.

## EXAMPLE 1: STIMULATING LIGHT FOR PRODUCTIVE CONFERENCES

The biologically effective light of the CELINE Quadro-Sets ensures well-being and optimal work performance, while ALICIA Downlights and ventilation are integrated into the system by the DALI actuator. The Bluetooth model of the system allows simple manual control via smartphone. Intelligent, energy-efficient overall management is carried out via integrated SymbiLogic technology and high-end sensors.







Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC	EQ10122590
Downlight ALICIA DL 68 TR 36° 600 830 WH	E010302046
Presence detector in the lighting system	
DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
	Downlight ALICIA DL 68 TR 36° 600 830 WH  Presence detector in the lighting system

## EXAMPLE 2: CLEAR DESIGN COMBINED WITH OPTIMUM AIR QUALITY

The stylish design of the ISABELLE Pendulum Light with direct illumination and flooding the ceiling with light sets a specifically representative light for the conference room. The ambient lighting of the STINA Downlights enhances the optical effect. On the ceiling, the PD ATMO optimises the air quality while also providing energy-efficient light control via the KNX bus.







Lighting	Pendulum light ISABELLE PDL 1200 DDP TR 8800 840 DALI WH	E010306167
	Downlight STINA DL 112 TR 60° 1300 840 DALI WH	E010304392
Light and	Presence detector PD-ATMO 360i/8 O KNX white	EP10427220
HVAC control	KNX actuator CU-DIN HVAC KNX	EC10430503
	KNX actuator CU-DIN R 4-CH 16A KNX	EC10430282
Interface for lighting	KNX-DALI-Gateway CU-DIN GW DALI KNX	EC10430336



## THE MAIN THING IS EFFICIENCY: SIDE ROOMS

People who have to print something off in a hurry, need something from the office stores or would like to grab a coffee from the machine, usually have a lot of other tasks running through their minds. Switching the light off may not always be at the top of their to-do list. In areas such as side rooms, warehouses and storage rooms, ESYLUX focuses on automated systems for efficiency that control light use depending on actual need as effectively as possible, leaving your mind free for proper work.

EXAMPLE 1: INTELLIGENT LIGHTING WITH AN ELEGANT LOOK

Extra-flat STELLA ceiling lights, that can be suspended from the ceiling if required, ensure the best look and the FLAT presence detector provides the intelligent light management concept. The minimalist design of its elegant outer surface lends the room a highly pleasant look.

## STELLA

## PD-FLAT 360i/8 RW





Lighting	Ceiling light STELLA PNL 600 OP 3600 830 IP20	EQ10600012
Light control	Presence detector PD-FLAT 360i/8 ROUND WHITE	EP10427930

EXAMPLE 2: SIMPLE LIGHT SOLUTION, INTELLIGENTLY CONTROLLED

Round ELSA-2 downlights with soft, homogeneous light illuminate the room, an integrated motion detector realises movement and daylight dependent light switching.

### ELSA-2 MD



Lighting	Downlight ELSA-2 DL 225 OP 110° 1800 840 PD IR WH	E010299032
Light control	Motion detector in the luminaire	



## HIGHLY EFFECTIVE: SANITARY FACILITIES

Discretion and proper acoustics are both part of the optimal prerequisites for hygiene and cleanliness in WC and sanitary facilities. Designing these areas with appropriate and practical light is an important factor, not to mention the value of good ventilation in these areas. Solutions are required that perform efficiently – ESYLUX provides a wide variety.

## EXAMPLE 1: OPTIMAL AIR QUALITY COMBINED WITH BEAUTIFUL LIGHT

Round ELSA-2 downlights with soft, homogeneous light distribution illuminate the room, while the PD ATMO optimises the air quality and controls the downlights energy-efficiently. The ELX escape sign luminaire shows the way in case of emergency.







ELSA-2

SLX 14 LEDi Flat





PD-ATMO



Lighting	Downlight ELSA-2 DL 225 OP 110° 1800 830 DALI WH	E010298943
Light and HVAC control	Presence detector PD-ATMO 360i/8 0 KNX white	EP10427220
	KNX actuator CU-DIN HVAC KNX	EC10430503
Interface for lighting	KNX DALI gateway, CU-DIN GW DALI KNX	EC10430336
optional	Escape sign luminaire SLX EL LED FLAT 3h 14m IR SM	EN10077609

## EXAMPLE 2: SIMPLE LIGHT SOLUTION WITH RELIABLE SENSOR TECHNOLOGY

Stylish STINA downlights provide optimum vision, the presence detector from well-proven C series takes over intelligent light control and also switches the ventilation dependent on presence, via an HVAC output. The SLC escape sign luminaire shows the way in case of emergency.



PD-C360i/8plus

SLC LEDi SC/C







Lighting	Downlight STINA DL 90 TR 25° 1300 830 WH	E010304101
Light and	Presence detector PD-C360i/8plus white,	EP10425042
HVAC control	HVAC relay in the presence detector	
optional	Escape sign luminaire SLC/SLD EL LED 3h 25m IR SC/C WM	EN10030314



## TASTEFUL VERSATILITY: CANTEENS

In the canteen, your favourite dish is not the only thing that is a matter of taste: When it comes to design and ambience, taste is just as diverse as the requirements. Ultimately, employees should enjoy their time here as much as possible – whether at the buffet or a corner table. At the same time, the air shouldn't make you tired and odours shouldn't spoil your visit. ESYLUX provides solutions that are both effective and elegant and also put the issue of efficiency on the menue.

## EXAMPLE 1: SCALABLE, INTELLIGENT LIGHTING SYSTEM WITH VARIABLE DOWNLIGHTS

The CELINE Quadro-Set linear luminaires create the perfect look, the ELSA-2 downlights are integrated via the system's DALI interfaces and create a pleasant ambience. The system is infinitely scalable and takes over the light management itself thanks to integrated sensors and a control unit. Ventilation is also integrated via DALI actuator and is activated dependent on presence.





Lighting	Light system QUADRO-SET CELINE 1250 LDP TR 840 ELC	EQ10127571
	Downlight ELSA-2 DL 165 OP 110° 900 840 DALI WH	E010298936
Light and HVAC control	Presence detector in the lighting system	
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473

PD-C360i/24 DUO DALI

## EXAMPLE 2: SIMPLE LIGHT SOLUTION WITH WIDE-RANGING SENSOR TECHNOLOGY

Round ELSA-2 downlights with soft, homogeneous light illuminate the room. The DUO DALI presence detector with extra-wide range is responsible for intelligent light management of up to two separate channels, and the bus power supply is integrated in the detector. It also switches the ventilation via a DALI actuator, depending on presence.







ELSA-2





**DALI** actuator

Lighting	Downlight ELSA-2 DL 225 OP 110° 1800 830 DALI WH	E010298943
Light and HVAC control	Presence detector PD-C360i/24 DUO DALI opal frosted	EP10427459
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473



## WHERE NETWORKING BEGINS: OUTDOOR AREAS

Seen from the outside, light makes everything really bright. If you take a closer look at the subject, it is quickly apparent that light also makes a significant contribution to the look of the building and atmosphere, provides safety and provides orientation. The view of a building and whether you can find your way in properly and safely leave again, essentially depends on the right lighting. ESYLUX offers demanding solutions for building shells, entrances, parking areas and access routes that, alongside illumination, also provide the highest functionality and never neglect efficiency and economy – in perfection.

## EXAMPLE 1: ARTFUL BOLLARD LIGHTS FOR INTELLIGENT, ENERGY-EFFICIENT NETWORKING

The high-quality ALVA bollard lights feature housing that is protected against sea air and integrated movement and light sensors, allowing a convenient and energy-efficient DALI light management concept on paths, parking spaces or driveways. Entire lighting groups can be controlled and even conventional lights can be integrated via DALI actuator, such as the ALVA Up-/Downlights.



## ALVA bollard light with/ without detector



**ALVA Up-/Downlights** 

**DALI** actuator





Bollard ALVA BL 940 / 170 TR 360° 1000 830 MD IR DALI AN	EL10820403
Bollard ALVA BL 940 / 170 TR 360° 1000 830 DALI AN	EL10820205
Up-/Downlight ALVA UDL TR 13° 900 830 AN	EL10830006
Motion detector in the bollard light	
DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
	Bollard ALVA BL 940 / 170 TR 360° 1000 830 DALI AN Up-/Downlight ALVA UDL TR 13° 900 830 AN Motion detector in the bollard light

## EXAMPLE 2: SIMPLE, ROBUST LIGHTING SOLUTION WITH RELIABLE SENSOR TECHNOLOGY

The floodlights in the OFL/AFL SUN series ensure reliable lighting for outdoor areas. Models with integrated motion detector and a separate switch output also enable economic switching, including efficient networking.

## AFL SUN







Lighting	Floodlight SUN AFL TR 5600 850 MD BK	EL10810282
	Floodlight SUN OFL TR 5600 850 BK	EL10810268
Light control	Motion detector in the luminaire (only AFL SUN)	

51

## **PRODUCTOVERVIEW**

Lighting	Pendulum light ISABELLE PDL 1200 DDP TR 8800 840 DALI WH	E010306167
	Downlight ELSA-2 DL 165 OP 110° 900 840 DALI WH	E010298936
	Downlight STINA DL 90 TR 38° 1300 840 WH	E010304132
Light control	Presence detector PD-FLAT 360i/6 mini DALI	EP10427503
	Presence detector PD-FLAT 360i/8 ROUND WHITE	EP10427930
Accessories	DALI power supply POWER SUPPLY 200mA DALI	EC10430008
 Lighting	Downlight STINA DL 112 TR 60° 1300 840 WH	E010304194
	Downlight ELSA-2 DL 165 OP 110° 900 840 WH	E010298998
Light control	Motion detector MD-FLAT 360i/8 ROUND WHITE	EP10427886
	Motion detector MD 180i/16 Basic	EB10430459
Optional	Escape route light ELH EL LED 3h SC RM CORRIDOR	EN10080012
	Escape route light ELX EL LED 3h IR SM	EN10077227
 Lighting	Ceiling/wall luminaire ELLEN WCL 300 OP 1300 840 IP20 MD	E010850066
00	Downlight ELSA-2 DL 225 OP 110° 1800 830 MD IR WH	E010300059
Light control	Motion detector HF in the luminaire	
	Motion detector in the luminaire	
Lighting	Office floor light ISABELLE FSL S-BASE DDP TR 6300 840 PD IR BK	E010306037
Lighting	Office floor light ISABELLE FSL S-BASE DDP TR 6300 840 PD IR BK Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX	
Lighting	-	EQ10122781
Lighting	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX	EQ10122781 E010302022
 Light and	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH	EQ10122781 E010302022
 Light and	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX  Downlight ALICIA DL 68 TR 24° 600 830 WH  Ceiling luminaire STELLA PNL 300 DDP 0P 1700 840 IP20	EQ10122781 E010302022 EQ10600067
 Light and	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX  Downlight ALICIA DL 68 TR 24° 600 830 WH  Ceiling luminaire STELLA PNL 300 DDP 0P 1700 840 IP20  Presence detector in the office floor light/lighting system	EQ10122781 E010302022 EQ10600067 EP10427220
Light and HVAC control	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 O KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI KNX actuator CU-DIN HVAC KNX	E010306037 EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473 EC10430503
 Light and	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 O KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI	EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473 EC10430503
Light and HVAC control Accessories	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 O KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI KNX actuator CU-DIN HVAC KNX Surface mounting frame STELLA MOUNTING FRAME 300 SM WH	EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473 EC10430503 EQ10600340
Light and HVAC control	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 0 KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI KNX actuator CU-DIN HVAC KNX Surface mounting frame STELLA MOUNTING FRAME 300 SM WH	EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473 EC10430503 EQ10600340
Light and HVAC control  Accessories  Lighting	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 0 KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI KNX actuator CU-DIN HVAC KNX Surface mounting frame STELLA MOUNTING FRAME 300 SM WH  Light system QUADRO-SET CELINE HCL 625 DDP SO 8TW ELC Ceiling light STELLA PNL 625 DDP OP 3800 840 IP20 DALI	EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473
Light and HVAC control Accessories	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX Downlight ALICIA DL 68 TR 24° 600 830 WH Ceiling luminaire STELLA PNL 300 DDP OP 1700 840 IP20 Presence detector in the office floor light/lighting system Presence detector PD-ATMO 360i/8 0 KNX white DALI actuator ACTUATOR FULL AUTO C3 DALI KNX actuator CU-DIN HVAC KNX Surface mounting frame STELLA MOUNTING FRAME 300 SM WH	EQ10122781 E010302022 EQ10600067 EP10427220 EP10427473 EC10430503 EQ10600340

Lighting	Pendulum light ISABELLE PDL 1200 DDP TR 8800 840 DALI WH	E010306167
	Downlight ELSA-2 DL 165 OP 110° 900 840 DALI WH	E010298936
	Downlight STINA DL 90 TR 38° 1300 840 WH	E010304132
Light control	Presence detector PD-FLAT 360i/6 mini DALI	EP10427503
	Presence detector PD-FLAT 360i/8 ROUND WHITE	EP10427930
Accessories	DALI power supply POWER SUPPLY 200mA DALI	EC10430008
Lighting	Downlight STINA DL 112 TR 60° 1300 840 WH	E010304194
	Downlight ELSA-2 DL 165 OP 110° 900 840 WH	E010298998
Light control	Motion detector MD-FLAT 360i/8 ROUND WHITE	EP10427886
	Motion detector MD 180i/16 Basic	EB10430459
Optional	Escape route light ELH EL LED 3h SC RM CORRIDOR	EN10080012
	Escape route light ELX EL LED 3h IR SM	EN10077227
Lighting	Ceiling/wall luminaire ELLEN WCL 300 OP 1300 840 IP20 MD	E010850066
	Downlight ELSA-2 DL 225 OP 110° 1800 830 MD IR WH	E010300059
Light control	Motion detector HF in the luminaire	
	Motion detector in the luminaire	
Lighting	Office floor light ISABELLE FSL S-BASE DDP TR 6300 840 PD IR BK	E010306037
	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC KNX	EQ10122781
	Downlight ALICIA DL 68 TR 24° 600 830 WH	E010302022
	Ceiling luminaire STELLA PNL 300 DDP 0P 1700 840 IP20	EQ10600067
Light and	Presence detector in the office floor light/lighting system	
HVAC control	Presence detector PD-ATMO 360i/8 O KNX white	EP10427220
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
	KNX actuator CU-DIN HVAC KNX	EC10430503
Accessories	Surface mounting frame STELLA MOUNTING FRAME 300 SM WH	EQ10600340
Lighting	Light system QUADRO-SET CELINE HCL 625 DDP SO 8TW ELC	EQ10122538
	Ceiling light STELLA PNL 625 DDP 0P 3800 840 IP20 DALI	EQ10600234
Light and	Presence detector in the lighting system	
HVAC control	Presence detector PD-C360i/8 DUO DALI opal frosted	EP10427442
	DALI switch actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
Lighting	Office Floor Light ISABELLE FSL S-BASE DDP TR 6000 830 PD IR WH	E010306006
	Light system QUADRO-SET CELINE HCL 625 DDP SO 8TW ELC KNX	EQ10122736
	Downlight STINA DL 112 TR 38° 1300 830 WH	E010304163
	Downlights ALICIA DL 68 TR 15° 600 840 WH	E010302015
Light and	Presence detector in the office floor light/lighting system	
HVAC control	Presence detector PD-ATMO 360i/8 0 KNX white	EP10427220

KNX actuator CU-DIN HVAC KNX

KNX actuator CU-DIN R 4-CH 16A KNX DALI actuator ACTUATOR FULL AUTO C3 DALI

## ENTRANCE AREAS



## CORRIDORS



## STAIRCASES



## OPEN-PLAN OFFICES



STANDARD INDIVIDUAL OFFICES



**EXCLUSIVE INDIVIDUAL OFFICES** 

EC10430503 EC10430282

EP10427473



## MEETING ROOMS




Lighting	Lighting system QUADRO-SET CELINE HCL 625 DDP TR 8TW ELC	EQ10122590
	Downlight ALICIA DL 68 TR 36° 600 830 WH	E010302046
	Pendulum light ISABELLE PDL 1200 DDP TR 8800 840 DALI WH	E010306167
	Downlight STINA DL 112 TR 60° 1300 840 DALI WH	E010304392
Light and HVAC control	Presence detector in the lighting system	
	Presence detector PD-ATMO 360i/8 0 KNX white	EP10427220
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473
	KNX actuator CU-DIN HVAC KNX	EC10430503
	KNX actuator CU-DIN R 4-CH 16A KNX	EC10430282
Interface	KNX-DALI-Gateway CU-DIN GW DALI KNX	EC10430336

## SIDE ROOMS



EQ10600012
E010299032
EP10427930
EB10430411

## SANITARY FACILITIES



Lighting	Downlight ELSA-2 DL 225 OP 110° 1800 830 DALI WH	E010298943
	Downlight STINA DL 90 TR 25° 1300 830 WH	E010304101
Light and	Presence detector PD-ATMO 360i/8 O KNX white	EP10427220
HVAC control	Presence detector PD-C360i/8plus white, HVAC relay in the presence detector	EP10425042
	KNX actuator CU-DIN HVAC KNX	EC10430503
Interface	KNX DALI gateway, CU-DIN GW DALI KNX	EC10430336
Optional	Escape sign luminaire SLX EL LED FLAT 3h 14m IR SM	EN10077609
	Escape sign luminaire SLC/SLD EL LED 3h 25m IR SC/C WM	EN10030314

## CANTEENS



Lighting	Light system QUADRO-SET CELINE 1250 LDP TR 840 ELC	EQ10127571
	Downlight ELSA-2 DL 165 OP 110° 900 840 DALI WH	E010298936
	Downlight ELSA-2 DL 225 OP 110° 1800 830 DALI WH	E010298943
Light and HVAC control	Presence detector in the lighting system	
	Presence detector PD-C360i/24 DUO DALI opal frosted	EP10427459
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473

## OUTDOOR AREAS



Lighting	Bollard ALVA BL 940 / 170 TR 360° 1000 830 MD IR DALI AN	EL10820403
	Bollard ALVA BL 940 / 170 TR 360° 1000 830 DALI AN	EL10820205
	Up-/Downlight ALVA UDL TR 13° 900 830 AN	EL10830006
	Floodlight SUN AFL TR 5600 850 MD BK	EL10810282
	Floodlight SUN OFL TR 5600 850 BK	EL10810268
Light control	Motion detector in the bollard light/floodlight	
	DALI actuator ACTUATOR FULL AUTO C3 DALI	EP10427473

# MAKING IT SIM PLE

## ESYLUX SUPPORTS YOU FROM PLANNING UNTIL THE VERY LAST STEP

When it comes to completing a specific project, we offer on-demand support from the very beginning. Experts from our project department are available to support from the earliest planning stage. They can help with everything from selecting the right product through to correct positioning and optimum functional planning. Our experts can also assist you with regard to energy efficiency and identifying and exploiting existing potential. When it comes specifically to light planning, you can also download our ESYLUX plugins for DIAlux and Relux.

### JUST A PHONE CALL AWAY

If questions need to be answered immediately and with a personal response, we are easy to reach. Our experts are available for you to contact directly via the technical hotline, at no additional cost. Whether you have questions about technical features, assembly or installation, you can therefore receive first-hand, expert advice that is professional, friendly and fast.



ESYLUX ACADEMY



SUPPORT FOR PLAN-NING AND PROJECT MANAGEMENT

Informing and instructing our customers is of utmost importance to us. From project planning through to completion, we are always at your side when you need us.



MANUFACTURER'S WARRANTY

TENDED FACTURER'S DOC

Quality often just an empty promise. For us, it is an obligation.



ONLINE DOCUMENTATION

Information is precious – especially if it is easy to find and use.



#### **ESYLUX Deutschland GmbH**

An der Strusbek 40 22926 Ahrensburg I Deutschland t: +49 4102 489 0 info@esylux.de www.esylux.de

### **ESYLUX Danmark ApS**

Kokholm 3A 6000 Kolding I Danmark t: +45 76 72 90 90 info@esylux.dk www.esylux.dk

#### **ESYLUX Nederland B.V.**

Leeghwaterstraat 35 3364 AE Sliedrecht I Nederland t: +31 184 647 000 info@esylux.nl www.esylux.nl

### **ESYLUX Österreich GmbH**

Hafenstraße 2A 4020 Linz I Österreich t: +43 732 788 188 0 info@esylux.at www.esylux.at

### **ESYLUX Russia**

ООО "ИЗИЛЮКС РУ"
ул. Лётная, д. 21, пом. VI
141018, г. Мытищи,
Московская область I Россия
t: +7 495 782 72 40
info@esylux.ru
www.esylux.ru

#### **ESYLUX Sverige AB**

Färögatan 33 164 51 Kista I Sverige t: +46 470 853 00 info@esylux.se www.esylux.se

## **ESYLUX Asia Ltd.**

No. 4 32/F Saxon Tower 7 Cheung Shun Street Lai Chi Kok I Kowloon I Hong Kong t: +852 3107 89 12 sales@esylux.com.hk www.esylux.com.hk

## ESYLUX Belgium nv

Vlamstraat 7 bus 2 9450 Denderhoutem-Haaltert I België t: +32 53 850 570 info@esylux.be www.esylux.be

### **ESYLUX France SARL**

5 rue de Castiglione 75001 Paris I France t: +33 1 5345 10 55 info@esylux.fr www.esylux.fr

#### **ESYLUX Norge AS**

Strandveien 33 1366 Lysaker I Norge t: +47 2255 52 00 info@esylux.no www.esylux.no

### **ESYLUX Portugal, Lda.**

Lagoas Park Edifício 8, Piso 1 2740-244 Porto Salvo I Portugal t: +351 214 236 170 comercial@esylux.pt www.esylux.pt

### **ESYLUX Suomi Oy**

c/o Oy DJS-Automation AB Vitikka 1 D 02630 Espoo I Suomi t: +358 20 779 26 60 info@esylux.fi www.esylux.fi

### **ESYLUX Swiss AG**

Steinackerstrasse 29 Postfach 8302 Kloten I Schweiz t: +41 44 808 61 00 info@esylux.ch www.esylux.ch

## ESYLUX GmbH (Export)

An der Strusbek 40 22926 Ahrensburg I Germany t: +49 4102 888 80 0 sales@esylux.com www.esylux.com



© Copyright 2019

Shutterstock: 147183467 l istock: 636344050, 108195326, 000019125406 l Gettylmages: 515034451, 139094574, 85406551, 139094574, 535340606, 697387591, 524174996, 185124275, 175299339, 488888801, 637951980, 707454797, 637249110, 106905914, 98844724, 472098295, 498111465, 669105200, 518345403, 482148863, 531241912, 457983239, 495604235, 153362937, 475980520 l Fotolia: 69040059



